Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"5729540".pn. and determin$3 and wait$3 and time and field and expir$3	USPAT	OR	OFF	2005/11/23 01:47
L2	1	"5729540".pn. and add$3 and field and sequence adj number	USPAT	OR	OFF	2005/11/23 01:48
S1	7005	((base adj station adj controller) BSC) and (packet frame) and (field (time near5 information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 13:34
S2	2176	((base adj station adj controller) BSC) and (packet frame) same (field (time near5 information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 13:35
S3	1958	((base adj station adj controller) BSC) and (packet frame) same (field (time near3 information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 13:35
S4	150	((base adj station adj controller) BSC) and (packet frame) same (add$3 accept$3) with (field (time near3 information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 13:37
S5	99	((base adj station adj controller) BSC) and (packet frame) same (add$3 accept$3) with (field (time near3 information)) and (sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 13:47
S6	66	S5 and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 13:53
S7	0	((base adj station adj controller) BSC) and (packet frame) same (add$3 accept$3) with (field) same (time adj information) and (sequence) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 13:55

S8	14	((base adj station adj controller) BSC) and (packet frame) same (add$3 accept$3) with (field) and (time adj information) and (sequence) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:25
S9	2	((base adj station adj controller) BSC) and (packet frame) same (add$3 accept$3) same (time adj information) and (sequence field) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:49
S10	2	"20020126631"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:29
S11	7	((base adj station adj controller) BSC) and (packet frame) same (add$3 accept$3) same ((time adj information) time$1stamp) and (sequence field) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:03
S12	7	((base adj station adj controller) BSC) and (packet frame) same (add$3 accept$3) same ((time adj information) time$1stamp "RTP/RTCP" RTP$1RTCP) and (sequence field) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:52
S13	322	rtp/rtcp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:07
S14	173	rtp/rtcp and time with information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:08

S15	14	rtp/rtcp and ((time with information) time$1stamp) and (BSC (station adj controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:36
S16	926	(rtp/rtcp (time with information) time$1stamp) same packet and (BSC (station adj controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:37
S17	26	add$3 with (rtp/rtcp (time with information) time$1stamp) same packet and (BSC (station adj controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:23
S18	25	add$3 with (rtp/rtcp (time with information) time$1stamp) same packet and (BSC (station adj controller)) and packet and receiv$3 and (transmit$3 transceiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:28
S19	1	"20020085516" and add$3 with (rtp/rtcp (time with information) time$1stamp) and (BSC (station adj controller)) and packet and receiv$3 and (transmit$3 transceiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:48
S20	99	add$3 with ((time with information) time$1stamp (field with ("RTP" or RTCP))) and (BSC (station adj controller)) and packet and receiv$3 and (transmit$3 transceiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:31
S21	50	S20 and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:52
S22	34	add$3 with ((time with information) time$1stamp ("RTP" or RTCP)) and ((wait$3 with time) (expire$4 with timer)) and (BSC (station adj controller)) and packet and receiv$3 and (transmit$3 transceiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 22:46

S23	13	S22 and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 16:57
S24	10	add$3 with ((time adj information) time$1stamp ("RTP" or RTCP)) and ((wait$3 near2 time) (expire$4 near2 timer)) and (BSC (station adj controller)) and receiv$3 and (transmit$3 transceiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 23:12
S25	10	add$3 with ((time adj information) time$1stamp ("RTP" or RTCP)) and ((wait$3 near2 time) (expire$4 near2 time$3)) and (BSC (station adj controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 23:18
S26	257	((time adj information) time$1stamp ("RTP" or RTCP)) and ((wait$3 near2 time) (expire$4 near2 time$3)) and (BSC (station adj controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 23:32
S27	141	S26 and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 23:18
S28	11	((time adj information) time$1stamp ("RTP" or RTCP)) and (discard$3 stop$3 block$3) with ((wait$3 near2 time) (expire$4 near2 time$3)) and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 23:39
S29	11	((time adj information) or time$1stamp or ("RTP" or "RTCP")) and (discard$3 stop$3 block$3) with ((wait$3 near2 time) (expire$4 near2 time$3)) and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 00:10

S30	11	("RTP/RTCP" or (time adj information) or time$1stamp or ("RTP" or "RTCP")) and (discard$3 stop$3 block$3) with ((wait$3 near2 time) (expire$4 near2 time$3)) and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 00:10
S31	23	("RTP/RTCP" or (time adj information) or time$1stamp or ("RTP" or "RTCP")) and ((wait$3 adj time) (expire$4 adj time$3)) and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 00:23
S32	3	add$3 with field same ("RTP/RTCP" or (time adj information) or time$1stamp or ("RTP" or "RTCP")) and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 00:31
S33	63	field same ("RTP/RTCP" or (time adj information) or time$1stamp or ("RTP" or "RTCP")) and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 00:36
S34	46	field same ("RTP/RTCP" or (time adj information) or time$1stamp or ("RTP" or "RTCP")) and (BSC (station adj controller)) and packet and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 00:40
S35	14	(add$3 plac$3) with field same ("RTP/RTCP" or (time adj information) or (time near2 stamp) or ("RTP" or "RTCP")) and (BSC (station adj controller)) and packet and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 10:36

S36	14	(add$3) with ("RTP/RTCP" or (time adj information) or (time near2 stamp) or ("RTP" or "RTCP")) same packet and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:27
S37	0	(add$3) with ("RTP/RTCP" or (time adj information) or (time near2 stamp) or ("RTP" or "RTCP")) same packet and (discard$3 stop$3 block$3) with ((wait$3 near2 time) (expire$4 near2 time$3))and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S38	0	("RTP/RTCP" or (time adj information) or (time near2 stamp) or ("RTP" or "RTCP")) same packet and (discard$3 stop$3 block$3) with ((wait$3 near2 time) (expire$4 near2 time$3))and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:36
S39	3	("RTP/RTCP" or (time adj information) or (time near2 stamp) or ("RTP" or "RTCP")) same packet and (discard$3 stop$3 block$3) with ((wait$3 near5 time) (expire$4 near5 time$3))and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:39
S40	31	("RTP/RTCP" or (time adj information) or (time near2 stamp) or ("RTP" or "RTCP")) and (discard$3 stop$3 block$3) with ((wait$3 near5 time) (expire$4 near5 time$3))and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:40

S41	31	("RTP/RTCP" or (time adj information) or (time near2 stamp) or ("RTP" or "RTCP")) and (discard$3 stop$3 block$3 halt) with ((wait$3 near5 time) (expire$4 near5 time$3))and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:40
S42	31	("RTP/RTCP" or (time adj information) or (time near2 stamp) or ("RTP" or "RTCP")) and (discard$3 stop$3 block$3 halt$3) with ((wait$3 near5 time) (expire$4 near5 time$3))and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:50
S43	7	("RTP/RTCP" or (time adj information) or (time near2 stamp) or ("RTP" or "RTCP")) and (discard$3 stop$3 block$3 halt$3) with ((wait$3 near5 time) (expire$4 near5 time$3))and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306") and transceiver and frame and wait$3 and receiv$3 and transmit$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 00:05
S44	5	CDMA and ("RTP/RTCP" or (time adj information) or (time near2 stamp) or ("RTP" or "RTCP")) and (discard$3 stop$3 block$3 halt$3) with ((wait$3 near5 time) (expire$4 near5 time$3))and (BSC (station adj controller)) and (@ad<="20010306" @rlad<="20010306" @rlan<="20010306") and transceiver and frame and wait$3 and receiv$3 and transmit$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 00:06
S45	1	"5729540".pn. and predetermined and add$3 and frame	USPAT	OR	OFF	2005/11/23 00:02
S46	1	"5729540".pn. and transmit$4 and Overhead adj message and mobile adj unit	USPAT	OR	OFF	2005/11/23 01:08